

Author Index

Abe, H., see Guo, H. (33) 121 Aizawa, S., see Ikeda, K. (33) 61 Akopian, A.N., see Ninkina, N.N. (33) 233 Angulo, J., see Riftina, F. (33) 201 Araki, K., see Ikeda, K. (33) 61 Araki, T., see Shida, T. (33) 261

Asanuma, M., Nishibayashi, S., Kondo, Y., Iwata, E., Tsuda, M. and Ogawa, N. Effects of single cyclosporin A pretreatment on pentylenetetrazol-induced convulsion and on TRE-binding activity in the rat brain (33) 29

Augood, S.J., see Harrington, K.A. (33) 333

Backstrom, J.R., Westphal, R.S., Canton, H. and Sanders-Bush, E. Identification of rat serotonin 5-HT_{2C} receptors as glycoproteins containing N-linked oligosaccharides (33) 311

Bartolome, J.V., Wang, S. and Bartolome, M.B. Transcription-dependent and -independent regulation of hepatic ornithine decarboxylase activity by CNS β-endorphin in rat pups (33) 149

Bartolome, M.B., see Bartolome, J.V. (33) 149
Basheer, R., see Tempel, A. (33) 227

Bayney, R.M., see Dewji, N.N. (33) 245Bertrand, P., Poirier, J., Oda, T., Finch, C.E. and Pasinetti, G.M.

Association of apolipoprotein E genotype with brain levels of apolipoprotein E and apolipoprotein J (clusterin) in Alzheimer disease (33) 174

Bessert, D.A., Gutridge, K.L., Dunbar, J.C. and Carlock, L.R.

The identification of a functional nuclear localization signal in the Huntington disease protein (33) 165

Bolden-Watson, C., see Yamada, M. (33) 343 Borden, L.A., see Durkin, M.M. (33) 7 Borkoski, J.P., see Plata-Salamán, C.R. (33) 72 Brame, B., see Jennes, L. (33) 104 Branchek, T.A., see Durkin, M.M. (33) 7 Buchman, V.L., see Ninkina, N.N. (33) 233

Campbell, E., see Ninkina, N.N. (33) 233
Canton, H., see Backstrom, J.R. (33) 311
Carlock, L.R., see Bessert, D.A. (33) 165
Centers, A., see Jennes, L. (33) 104
Chan, P.H., see Mikawa, S. (33) 288
Cho, T., see Yamada, M. (33) 343
Coleman, N.J., see Yamada, M. (33) 343
Conn, P.M., see Jennes, L. (33) 104
Corcoran, L., see Ninkina, N.N. (33) 233

Cuello, A.C., see Figueiredo, B.C. (33) 1

Dewji, N.N., Do, C. and Bayne;', R.M.

Transcriptional activation of Alzheimer's

β-amyloid precursor protein gene by stress
(33) 245

Dikkes, P., see Tolentino, P.J. (33) 47
Do, C., see Dewji, N.N. (33) 245
Dunbar, J.C., see Bessert, D.A. (33) 165
Durkin, M.M., Smith, K.E., Borden, L.A.,
Weinshank, R.L., Branchek, T.A. and
Gustafson, E.L.

Localization of messenger RNAs encoding three GABA transporters in rat brain: an in situ hybridization study (33) 7

Ebert, K., see Tolentino, P.J. (33) 47 Emson, P.C., see Harrington, K.A. (33) 333 Epstein, C.J., see Mikawa, S. (33) 288

Faull, R.L.M., see Harrington, K.A. (33) 333Ffrench-Mullen, J.M.H., see Plata-Salamán,C.R. (33) 72

Figueiredo, B.C., Plüss, K., Skup, M., Otten, U. and Cuello, A.C. Acidic FGF induces NGF and its mRNA in the injured neocortex of adult animals (33)

Finch, C.E., see Bertrand, P. (33) 174 Fink, J.S., see Tolentino, P.J. (33) 47 Fukushima, N., see Hayashi, C. (33) 347

Gall, C.M., see O'Connor, L.T. (33) 277 Gervasi, C. and Szaro, B.G.

The Xenopus laevis homologue to the neuronal cyclin-dependent kinase (cdk5) is expressed in embryos by gastrulation (33) 192

Gibson, G.E., see Kim, K.S. (33) 254 Gierdalski, M., see Kaminska, B. (33) 295 Guo, H., Sekiguchi, M., Tanaka, O., Inoue, T., Shima, H., Nagao, M., Tamura, S. and Abe, H.

Protein phosphatase mRNA expression in Purkinje cells of staggerer and reeler mutant mice (33) 121

Gustafson, E.L., see Durkin, M.M. (33) 7 Gutridge, K.L., see Bessert, D.A. (33) 165

Harrington, K.A., Augood, S.J., Faull, R.L.M.,
 McKenna, P.J. and Emson, P.C.
 Dopamine D₁ receptor, D₂ receptor,
 proenkephalin A and substance P gene expression in the caudate nucleus of control

and schizophrenic tissue: a quantitative cellular in situ hybridisation study (33) 333

Hayashi, C., Ueda, H., Fukushima, N., Katayama, T. and Misu, Y. Protein kinase C inhibitor potentiates the agonist-induced GTPase activity in COS cell membranes expressing δ-opioid receptor (33) 347

Higuchi, H., see Minami, S. (33) 305 Hildebrand, B., see Mamot, C. (33) 79 Hoffmann, W., see Probst, J.C. (33) 269 Honda, S., Yamamoto, M. and Saito, N. Immunocytochemical localization of three subtypes of GABA transporter in rat retina

Huang, H.-M., see Kim, K.S. (33) 254

(33) 319

Ikeda, K., Araki, K., Takayama, C., Inoue, Y., Yagi, T., Aizawa, S. and Mishina, M. Reduced spontaneous activity of mice defective in the ε4 subunit of the NMDA receptor channel (33) 61

Imai, Y., see Ishiguro, M. (33) 37
Imai, Y., see Unterwald, E.M. (33) 351
Inoue, T., see Guo, H. (33) 121
Inoue, Y., see Ikeda, K. (33) 61
Ishiguro, M., Imai, Y. and Kohsaka, S.
Expression and distribution of low density
lipoprotein receptor-related protein mRNA
in the rat central nervous system (33) 37

Iwata, E., see Asanuma, M. (33) 29

Janovick, J.A., see Jennes, L. (33) 104
Jennes, L., Brame, B., Centers, A., Janovick,
J.A. and Conn, P.M.
Regulation of hippocampal gonadotropin releasing hormone (GnRH) receptor mRNA
and GnRH-stimulated inositol phosphate
production by gonadal steroid hormones (33)

Jirikowski, G.F., see Probst, J.C. (33) 269 Joh, T., see Kim, K.S. (33) 254 Johnson, H., see Meister, B. (33) 87 Jones, L.C., see Scammell, J.G. (33) 326 Just, W., see Lahr, G. (33) 179

Kaczmarek, L., see Kaminska, B. (33) 295
Kamegai, J., see Minami, S. (33) 305
Kamii, H., see Mikawa, S. (33) 288
Kaminska, B., Mosieniak, G., Gierdalski, M., Kossut, M. and Kaczmarek, L.
Elevated AP-1 transcription factor DNA binding activity at the onset of functional



Author Index

Abe, H., see Guo, H. (33) 121 Aizawa, S., see Ikeda, K. (33) 61 Akopian, A.N., see Ninkina, N.N. (33) 233 Angulo, J., see Riftina, F. (33) 201 Araki, K., see Ikeda, K. (33) 61 Araki, T., see Shida, T. (33) 261

Asanuma, M., Nishibayashi, S., Kondo, Y., Iwata, E., Tsuda, M. and Ogawa, N. Effects of single cyclosporin A pretreatment on pentylenetetrazol-induced convulsion and on TRE-binding activity in the rat brain (33) 29

Augood, S.J., see Harrington, K.A. (33) 333

Backstrom, J.R., Westphal, R.S., Canton, H. and Sanders-Bush, E. Identification of rat serotonin 5-HT_{2C} receptors as glycoproteins containing N-linked oligosaccharides (33) 311

Bartolome, J.V., Wang, S. and Bartolome, M.B. Transcription-dependent and -independent regulation of hepatic ornithine decarboxylase activity by CNS β-endorphin in rat pups (33) 149

Bartolome, M.B., see Bartolome, J.V. (33) 149
Basheer, R., see Tempel, A. (33) 227

Bayney, R.M., see Dewji, N.N. (33) 245Bertrand, P., Poirier, J., Oda, T., Finch, C.E. and Pasinetti, G.M.

Association of apolipoprotein E genotype with brain levels of apolipoprotein E and apolipoprotein J (clusterin) in Alzheimer disease (33) 174

Bessert, D.A., Gutridge, K.L., Dunbar, J.C. and Carlock, L.R.

The identification of a functional nuclear localization signal in the Huntington disease protein (33) 165

Bolden-Watson, C., see Yamada, M. (33) 343 Borden, L.A., see Durkin, M.M. (33) 7 Borkoski, J.P., see Plata-Salamán, C.R. (33) 72 Brame, B., see Jennes, L. (33) 104 Branchek, T.A., see Durkin, M.M. (33) 7 Buchman, V.L., see Ninkina, N.N. (33) 233

Campbell, E., see Ninkina, N.N. (33) 233
Canton, H., see Backstrom, J.R. (33) 311
Carlock, L.R., see Bessert, D.A. (33) 165
Centers, A., see Jennes, L. (33) 104
Chan, P.H., see Mikawa, S. (33) 288
Cho, T., see Yamada, M. (33) 343
Coleman, N.J., see Yamada, M. (33) 343
Conn, P.M., see Jennes, L. (33) 104
Corcoran, L., see Ninkina, N.N. (33) 233

Cuello, A.C., see Figueiredo, B.C. (33) 1

Dewji, N.N., Do, C. and Bayne;', R.M.

Transcriptional activation of Alzheimer's

β-amyloid precursor protein gene by stress
(33) 245

Dikkes, P., see Tolentino, P.J. (33) 47
Do, C., see Dewji, N.N. (33) 245
Dunbar, J.C., see Bessert, D.A. (33) 165
Durkin, M.M., Smith, K.E., Borden, L.A.,
Weinshank, R.L., Branchek, T.A. and
Gustafson, E.L.

Localization of messenger RNAs encoding three GABA transporters in rat brain: an in situ hybridization study (33) 7

Ebert, K., see Tolentino, P.J. (33) 47 Emson, P.C., see Harrington, K.A. (33) 333 Epstein, C.J., see Mikawa, S. (33) 288

Faull, R.L.M., see Harrington, K.A. (33) 333Ffrench-Mullen, J.M.H., see Plata-Salamán,C.R. (33) 72

Figueiredo, B.C., Plüss, K., Skup, M., Otten, U. and Cuello, A.C. Acidic FGF induces NGF and its mRNA in the injured neocortex of adult animals (33)

Finch, C.E., see Bertrand, P. (33) 174 Fink, J.S., see Tolentino, P.J. (33) 47 Fukushima, N., see Hayashi, C. (33) 347

Gall, C.M., see O'Connor, L.T. (33) 277 Gervasi, C. and Szaro, B.G.

The Xenopus laevis homologue to the neuronal cyclin-dependent kinase (cdk5) is expressed in embryos by gastrulation (33) 192

Gibson, G.E., see Kim, K.S. (33) 254 Gierdalski, M., see Kaminska, B. (33) 295 Guo, H., Sekiguchi, M., Tanaka, O., Inoue, T., Shima, H., Nagao, M., Tamura, S. and Abe, H.

Protein phosphatase mRNA expression in Purkinje cells of staggerer and reeler mutant mice (33) 121

Gustafson, E.L., see Durkin, M.M. (33) 7 Gutridge, K.L., see Bessert, D.A. (33) 165

Harrington, K.A., Augood, S.J., Faull, R.L.M.,
 McKenna, P.J. and Emson, P.C.
 Dopamine D₁ receptor, D₂ receptor,
 proenkephalin A and substance P gene expression in the caudate nucleus of control

and schizophrenic tissue: a quantitative cellular in situ hybridisation study (33) 333

Hayashi, C., Ueda, H., Fukushima, N., Katayama, T. and Misu, Y. Protein kinase C inhibitor potentiates the agonist-induced GTPase activity in COS cell membranes expressing δ-opioid receptor (33) 347

Higuchi, H., see Minami, S. (33) 305 Hildebrand, B., see Mamot, C. (33) 79 Hoffmann, W., see Probst, J.C. (33) 269 Honda, S., Yamamoto, M. and Saito, N. Immunocytochemical localization of three subtypes of GABA transporter in rat retina

Huang, H.-M., see Kim, K.S. (33) 254

(33) 319

Ikeda, K., Araki, K., Takayama, C., Inoue, Y., Yagi, T., Aizawa, S. and Mishina, M. Reduced spontaneous activity of mice defective in the ε4 subunit of the NMDA receptor channel (33) 61

Imai, Y., see Ishiguro, M. (33) 37
Imai, Y., see Unterwald, E.M. (33) 351
Inoue, T., see Guo, H. (33) 121
Inoue, Y., see Ikeda, K. (33) 61
Ishiguro, M., Imai, Y. and Kohsaka, S.
Expression and distribution of low density
lipoprotein receptor-related protein mRNA
in the rat central nervous system (33) 37

Iwata, E., see Asanuma, M. (33) 29

Janovick, J.A., see Jennes, L. (33) 104
Jennes, L., Brame, B., Centers, A., Janovick,
J.A. and Conn, P.M.
Regulation of hippocampal gonadotropin releasing hormone (GnRH) receptor mRNA
and GnRH-stimulated inositol phosphate
production by gonadal steroid hormones (33)

Jirikowski, G.F., see Probst, J.C. (33) 269 Joh, T., see Kim, K.S. (33) 254 Johnson, H., see Meister, B. (33) 87 Jones, L.C., see Scammell, J.G. (33) 326 Just, W., see Lahr, G. (33) 179

Kaczmarek, L., see Kaminska, B. (33) 295
Kamegai, J., see Minami, S. (33) 305
Kamii, H., see Mikawa, S. (33) 288
Kaminska, B., Mosieniak, G., Gierdalski, M., Kossut, M. and Kaczmarek, L.
Elevated AP-1 transcription factor DNA binding activity at the onset of functional

plasticity during development of rat sensory cortical areas (33) 295

Katayama, T., see Hayashi, C. (33) 347 Kelsoe, J.R., see Richtand, N.M. (33) 97

Kim, K.S., Huang, H.-M., Zhang, H., Wagner, J., Joh, T. and Gibson, G.E.

The role of signal transduction systems in mediating cell density dependent changes in tyrosine hydroxylase gene expression (33) 254

Kinouchi, H., see Mikawa, S. (33) 288 Kiyama, H., see Shida, T. (33) 261 Kohsaka, S., see Ishiguro, M. (33) 37 Kondo, E., see Shida, T. (33) 261 Kondo, H., see Sakagami, H. (33) 185 Kondo, Y., see Asanuma, M. (33) 29 Kossut, M., see Kaminska, B. (33) 295 Kreek, M.J., see Unterwald, E.M. (33) 351 Kuczenski, R., see Richtand, N.M. (33) 97

Lahr, G., Maxson, S.C., Mayer, A., Just, W., Pilgrim, C. and Reisert, I.
Transcription of the Y chromosomal gene, Sry, in adult mouse brain (33) 179
Lamperti, E.D., see Tolentino, P.J. (33) 47
Lauterborn, J.C., see O'Connor, L.T. (33) 277
Lawson, S.N., see Ninkina, N.N. (33) 233

Mamot, C., Hildebrand, B., Olenik, C., Simmet, T. and Meyer, D.K.
Evidence for the involvement of 5-lipoxygenase products in the regulation of the expression of the proenkephalin gene in cultured astroglial cells (33) 79

Matsui, T., Sashihara, S., Oh, Y. and Waxman,

An orphan nuclear receptor, mROR α , and its spatial expression in adult mouse brain (33) 217

Maxson, S.C., see Lahr, G. (33) 179
Mayer, A., see Lahr, G. (33) 179
McEwen, B., see Riftina, F. (33) 201
McEwen, B.S., see Pompei, P. (33) 209
McKenna, P.J., see Harrington, K.A. (33) 333
McLaughlin, P.J., see Zagon, I.S. (33) 111

McNamara, R.K. and Routtenberg, A.

NMDA receptor blockade prevents kainate induction of protein F1/GAP-43 mRNA in hippocampal granule cells and subsequent mossy fiber sprouting in the rat (33) 22

Meister, B., Johnson, H. and Ulfhake, B. Increased expression of serotonin transporter messenger RNA in raphe neurons of the aged rat (33) 87

Meyer, D.K., see Mamot, C. (33) 79
Mikawa, S., Sharp, F.R., Kamii, H., Kinouchi, H., Epstein, C.J. and Chan, P.H.
Expression of c-fos and hsp70 mRNA after traumatic brain injury in transgenic mice overexpressing CuZn-superoxide dismutase (33) 288

Minami, S., Kamegai, J., Sugihara, H., Suzuki, N., Higuchi, H. and Wakabayashi, I.
Central glucoprivation evoked by administration of 2-deoxy-D-glucose induces expression of the c-fos gene in a subpopulation of neuropeptide Y neurons in the rat hypothalamus (33) 305

Mishina, M., see Ikeda, K. (33) 61 Misu, Y., see Hayashi, C. (33) 347 Morrell, J.I., see Wagner, C.K. (33) 127 Mosieniak, G., see Kaminska, B. (33) 295 Müller-Schmid, A., see Probst, J.C. (33) 269

Nagao, M., see Guo, H. (33) 121
Ninkina, N.N., Buchman, V.L., Akopian, A.N.,
Lawson, S.N., Yamamoto, M., Campbell,
E., Corcoran, L. and Wood, J.N.
Nerve growth factor-regulated properties of
sensory neurones in Oct-2 null mutant mice
(33) 233

Nishibayashi, S., see Asanuma, M. (33) 29

O'Connor, L.T., Lauterborn, J.C., Smith, M.A. and Gall, C.M.
Expression of agrin mRNA is altered following seizures in adult rat brain (33) 277
Oda, T., see Bertrand, P. (33) 174
Ogawa, N., see Asanuma, M. (33) 29
Oh, Y., see Matsui, T. (33) 217
Olenik, C., see Mamot, C. (33) 79
Otten, U., see Figueiredo, B.C. (33) 1

Pasinetti, G.M., see Bertrand, P. (33) 174
Pilgrim, C., see Lahr, G. (33) 179
Pilgrim, C., see Raab, H. (33) 157
Plata-Salamán, C.R., Wilson, C.D., Sonti, G.,
Borkoski, J.P. and Ffrench-Mullen, J.M.H.
Antisense oligodeoxynucleotides to G-protein α-subunit subclasses identify a transductional requirement for the modulation of normal feeding dependent on Gα_{OA} subunit (33) 72

Plüss, K., see Figueiredo, B.C. (33) 1
Poirier, J., see Bertrand, P. (33) 174
Pompei, P., Riftina, F. and McEwen, B.S.
Effect of adrenal steroids on preproneurokinin-A gene expression in discrete regions of the rat brain (33) 209
Pompei, P., see Riftina, F. (33) 201

Probst, J.C., Skutella, T., Müller-Schmid, A., Jirikowski, G.F. and Hoffmann, W. Molecular and cellular analysis of rP1.B in the rat hypothalamus: In situ hybridization and immunohistochemistry of a new P-domain neuropeptide (33) 269

Raab, H., Pilgrim, C. and Reisert, I.
Effects of sex and estrogen on tyrosine hydroxylase mRNA in cultured embryonic rat mesencephalon (33) 157

Reisert, I., see Lahr, G. (33) 179
Reisert, I., see Raab, H. (33) 157
Reppert, S.M., see Weaver, D.R. (33) 136
Reutter, M.A., see Scammell, J.G. (33) 326
Richelson, E., see Yamada, M. (33) 343

Richtand, N.M., Kelsoe, J.R., Segal, D.S. and Kuczenski, R. Regional quantification of D1, D2, and D3 dopamine receptor mRNA in rat brain using

a ribonuclease protection assay (33) 97 Riftina, F., Angulo, J., Pompei, P. and McEwen, B.

Regulation of angiotensinogen gene expression in the rat forebrain by adrenal steroids and relation to salt appetite (33) 201

Riftina, F., see Pompei, P. (33) 209 Routtenberg, A., see McNamara, R.K. (33) 22 Rubenfeld, J.M., see Unterwald, E.M. (33) 351

Saito, N., see Honda, S. (33) 319
Sakagami, H., Sawamura, Y. and Kondo, H.
Synchronous patchy pattern of gene expression for adenylyl cyclase and phosphodiesterase but discrete expression for G-protein in developing rat striatum (33) 185
Sanders-Bush, E., see Backstrom, J.R. (33) 311
Sashihara, S., see Matsui, T. (33) 217
Sawamura, Y., see Sakagami, H. (33) 185
Scammell, J.G., Sumners, C., Reutter, M.A., Valentine, D.L. and Jones, L.C.
Regulation of secretogranin II mRNA in rat neuronal cultures (33) 326

Segal, D.S., see Richtand, N.M. (33) 97
Sekiguchi, M., see Guo, H. (33) 121
Sharp, F.R., see Mikawa, S. (33) 288
Shida, T., Kondo, E., Ueda, Y., Takai, N.,
Yoshida, Y., Araki, T., Kiyama, H. and
Tohyama, M.
Role of amino acids in salivation and the
localization of their receptors in the rat salivary gland (33) 261

Shima, H., see Guo, H. (33) 121
Simmet, T., see Mamot, C. (33) 79
Skup, M., see Figueiredo, B.C. (33) 1
Skutella, T., see Probst, J.C. (33) 269
Smith, K.E., see Durkin, M.M. (33) 7
Smith, M.A., see O'Connor, L.T. (33) 277
Sonti, G., see Plata-Salamán, C.R. (33) 72
Sugihara, H., see Minami, S. (33) 305
Sumners, C., see Scammell, J.G. (33) 326
Suzuki, N., see Minami, S. (33) 305
Szaro, B.G., see Gervasi, C. (33) 192

Takai, N., see Shida, T. (33) 261
Takayama, C., see Ikeda, K. (33) 61
Tamura, S., see Guo, H. (33) 121
Tanaka, O., see Guo, H. (33) 121
Tempel, A., Yang, J. and Basheer, R.
Prenatal morphine exposure differentially alters expression of opioid peptides in striatum of newborns (33) 227
Tohyama, M., see Shida, T. (33) 261

Tolentino, P.J., Dikkes, P., Tsuruda, L., Ebert, K., Fink, J.S., Villa-Komaroff, L. and Lamperti, E.D. Quantitative analysis of the expression of a VIP transgene (33) 47 Tsuda, M., see Asanuma, M. (33) 29

Tsuruda, L., see Tolentino, P.J. (33) 47

Ueda, H., see Hayashi, C. (33) 347
Ueda, Y., see Shida, T. (33) 261
Uhl, G.R., see Unterwald, E.M. (33) 351
Ulfhake, B., see Meister, B. (33) 87
Unterwald, E.M., Rubenfeld, J.M., Imai, Y.,
Wang, J.-B., Uhl, G.R. and Kreek, M.J.
Chronic opioid antagonist administration
upregulates mu opioid receptor binding
without altering mu opioid receptor mRNA
levels (33) 351

Valentine, D.L., see Scammell, J.G. (33) 326 Villa-Komaroff, L., see Tolentino, P.J. (33) 47 Wagner, C.K. and Morrell, J.I.
In situ analysis of estrogen receptor mRNA expression in the brain of female rats during pregnancy (33) 127

Wagner, J., see Kim, K.S. (33) 254
Wakabayashi, I., see Minami, S. (33) 305
Wang, J.-B., see Unterwald, E.M. (33) 351
Wang, S., see Bartolome, J.V. (33) 149
Watson, M.A., see Yamada, M. (33) 343
Waxman, S.G., see Matsui, T. (33) 217
Weaver, D.R. and Reppert, S.M.

Definition of the developmental transition from dopaminergic to photic regulation of c-fos gene expression in the rat suprachiasmatic nucleus (33) 136
Weinshank, R.L., see Durkin, M.M. (33) 7
Westphal, R.S., see Backstrom, J.R. (33) 311
Wilson, C.D., see Plata-Salamán, C.R. (33) 72
Wood, J.N., see Ninkina, N.N. (33) 233

Yagi, T., see Ikeda, K. (33) 61

neurons (33) 343

Yamada, M., Bolden-Watson, C., Watson, M.A., Cho, T., Coleman, N.J., Yamada, M. and Richelson, E. Regulation of neurotensin receptor mRNA expression by the receptor antagonist SR

48692 in the rat midbrain dopaminergic

Zagon, I.S. and McLaughlin, P.J.

Gene-peptide relationships in the developing rat brain: the response of preproenkephalin mRNA and [Met³]-enkephalin to acute opioid antagonist (naltrexone) exposure (33) 111

Yamada, M., see Yamada, M. (33) 343

Yamamoto, M., see Honda, S. (33) 319

Yang, J., see Tempel, A. (33) 227

Yoshida, Y., see Shida, T. (33) 261

Yamamoto, M., see Ninkina, N.N. (33) 233

Zhang, H., see Kim, K.S. (33) 254

